

# Nechako Watershed Roundtable Large Lakes Monitoring Strategy: Bibliography



## Prepared For

### **Nechako Watershed Roundtable**

Suite 507, 1488 4<sup>th</sup> Ave  
Prince George, BC V2L 4Y2

## Prepared By

### **EDI Environmental Dynamics Inc.**

3810 18th Ave  
Prince George, BC V2N 4V5

## EDI Contact

### **Staff Member**

Eric O'Bryan

## EDI Project

22P0495  
Version: 1  
March 2023



NECHAKO  
WATERSHED  
ROUNDTABLE



**EDI**  
ENVIRONMENTAL DYNAMICS INC.

**Down to Earth Biology**



## AUTHORSHIP

Team members from EDI Environmental Dynamics Inc. who contributed to preparing this report include:

Todd French, MSc.....Project Lead

Chris Cena, MSc, RPBio..... Primary Author



## TABLE OF CONTENTS

1	INTRODUCTION .....	1
2	BIBLIOGRAPHY.....	2
2.1	FISHERIES.....	2
2.2	LIMNOLOGY / LAKES .....	5
2.3	PALEOLIMNOLOGY .....	6
2.4	STREAM/RIVERS .....	7
2.5	ECOSYSTEM.....	8



## INTRODUCTION

As part of the Large Lakes Monitoring Strategy (LLMS), this bibliography has been prepared to summarize the available reports and peer reviewed journal articles pertaining to a broad range of fisheries, limnology, paleolimnology, and ecosystem information relevant to select headwater lakes and rivers of the Nechako River watershed. Most of the resources and information were attained from open public sources including the British Columbia provincial Environmental Monitoring System, BC Freshwater Atlas, Ecological Reports Catalogue (ECOCAT), and Fisheries Inventory Data Queries. Additional information and datasets were obtained from Canadian federal government sources such as the Fisheries Information Summary System (FISS) and requests to other sources (e.g., Dr. Daniel Selbie, Cultus Lake Laboratory). The reports and articles within this bibliography have been organized into five sections that contain the reports and articles specific to:

- Fisheries
- Limnology / Lakes
- Paleolimnology
- Streams / Rivers
- Ecosystem



## BIBLIOGRAPHY

### FISHERIES

- Anonymous. 1970. Sockeye Salmon Production Francois Lake & Nadina River System. Pacific Salmon Commission.
- Aquatic Resources Limited. 2001. Comparative Kokanee Study in Fraser and Burns Lakes (Data Report). 388–1.
- Beacham, T.D., Beamish, R.J., Candy, J.R., Wallace, C., Tucker, S., Moss, J.H., and Trudel, M. 2014. [Stock-Specific Migration Pathways of Juvenile Sockeye Salmon in British Columbia Waters and in the Gulf of Alaska](#). Transactions of the American Fisheries Society 143(6):1386–1403.
- Beacham, T.D. and Withler, R.E. 2017. [Population structure of sea-type and lake-type sockeye salmon and kokanee in the Fraser River and Columbia River drainages](#). PLOS ONE 12(9):e0183713.
- Bell, G.R. 1987. Volume 5 of 8 Nechako River Court Action (DFO Expert Reports). DFO.
- Benckhuysen, J. 2001. Lake Origin of Endako River Kokanee Spawners. ARL Report No. 388-2. Carrier Sekani Tribal Council.
- Bradford, M.J. 1994. [Trends in the Abundance of Chinook Salmon \*Oncorhynchus tshawytscha\* of the Nechako River, British Columbia](#). Canadian Journal of Fisheries and Aquatic Sciences 51(4):965–973.
- Bradford, M.J., Thompson, A.S., and Taylor, G.C. 2021. Migration and distribution of juvenile Chinook Salmon in the Nechako River, British Columbia, 1996. Fisheries and Oceans Canada, West Vancouver, BC, Canada.
- Brown, T.G. 1995. Stomach Contents, Distribution, and Potential of Fish Predators to Consume Juvenile Chinook Salmon (*Oncorhynchus tshawytscha*) in the Nechako and Stuart Rivers, B.C. Canadian Technical Report of Fisheries and Aquatic Sciences No. 2077. DFO.
- Brown, T.G., Bravender, B., Dubeau, P., and Lauzier, R. 1992. Initial Survey: Stomach Contents of Potential Fish Predators of Juvenile Chinook Salmon (*Oncorhynchus tshawytscha*) in the Nechako River, B.C. Canadian Manuscript Report of Fisheries and Aquatic Sciences 2141. DFO.
- Brown, T.G., White, E., Kelly, D., Rzen, L., and Rutten, J. 1994. Availability of Juvenile Chinook Salmon to Predators Along the Margins of the Nechako and Stuart Rivers, B.C. Canadian Manuscript Report of Fisheries and Aquatic Sciences No. 2245. DFO.
- Bussanich, R., Mathieu, C., Tonasket, C., Yaniw, N., Degan, D., and Mueller, A.-M. 2018. Fall hydroacoustic trawl surveys at Stuart Lake and Trembleur Lake, BC, 2017.
- Bustard, D. 1988. Assessment of Rainbow Trout Recruitment from Streams Tributary to Francois Lake. British Columbia Conservation Foundation.
- Chudyk, W. and Erickson, L.J. 1971. A reconnaissance survey of Tatuk Lake. Fish and Wildlife Branch, Victoria.
- Cope, R.S. and MacDonald, J.S. 1998. Responses of Sockeye Salmon (*Oncorhynchus nerka*) Embryos to Intragravel Incubation Environments in Selected Streams within the Stuart-Takla Watershed.



- Davidson, K.H. 2019. Upstream Fraser Sockeye Smolt Monitoring Project – Nautley River: Progress Report on Preliminary Results from Year 1 (2019-2020). DFO.
- Faulkner, G. 1993. Nechako and Stuart Rivers Chinook Carcass Recovery 1990. Data Report No. M90-2. Nechako Fisheries Conservation Program.
- Faulkner, G. and Ennevor, B. 1995. Nechako and Stuart Rivers Chinook Spawner Enumeration 1994. Data Report No. M94-1. Nechako Fisheries Conservation Program.
- Freshwater, C., Burke, B.J., Scheuerell, M.D., Grant, S.C.H., Trudel, M., and Juanes, F. 2018. Coherent population dynamics associated with sockeye salmon juvenile life history strategies. *Canadian Journal of Fisheries and Aquatic Sciences* 75(8):1346–1356.
- Goodman, J. 1962. Francois Lake Kokanee.
- Hartman, W.L., Heard, W.R., and Drucker, B. 1967. [Migratory Behavior of Sockeye Salmon Fry and Smolts](#). *Journal of the Fisheries Research Board of Canada* 24(10):2069–2099.
- Healey, M.C., Lake, R., and Hinch, S.G. 2003. [Energy expenditures during reproduction by sockeye salmon \(\*Oncorhynchus nerka\*\)](#). *Behaviour* 140(2):161–182.
- Henning, J.A., Gresswell, R.E., and Fleming, I.A. 2006. [Juvenile Salmonid Use of Freshwater Emergent Wetlands in the Floodplain and Its Implications for Conservation Management](#). *North American Journal of Fisheries Management* 26(2):367–376.
- Hickey, D.G., Mac Donald, L.B., and Leone, F.N. 1995. Salmon Resource Analysis for the Fort St. James Land and Resource Management Plan (Fraser River Basin). EDI Environmental Dynamics Inc.
- Hume, J.M.B., Shortreed, K.S., and Morton, K.F. 1996. Juvenile sockeye rearing capacity of three lakes in the Fraser River system. 53.
- Jaremovic, L. and Rowland, D. 1988. Review of Chinook Salmon Escapements in the Nechako River, British Columbia. Canadian Manuscript Report of Fisheries and Aquatic Sciences No. 1963. DFO.
- Levings, C.D. and Lauzier, R.B. 1991. [Extensive use of the Fraser River basin as winter habitat by juvenile chinook salmon \(\*Oncorhynchus tshawytscha\*\)](#). *Canadian Journal of Zoology* 69(7):1759–1767.
- Levy, D., Woodey, J., Hardy, L. and Alliance, U.F.F.C., 2007. Stuart Area Sockeye Salmon Runs and Their Importance to the First Nations of the Upper Fraser River Watershed. Upper Fraser Fisheries Conservation Alliance.
- Levy, D.A. and Nicklin, P. 2018. Chinook and Sockeye Salmon Conservation in the Nechako River in Northern BC. UFFCA/NFCP.
- MacDonald, D.D., Ikonomou, M.G., Rantalaine, A.-L., Rogers, I.H., Sutherland, D., and Van Oostdam, J. 1997. [Contaminants in white sturgeon \(\*Acipenser transmontanus\*\) from the upper Fraser River, British Columbia, Canada](#). *Environmental Toxicology and Chemistry* 16(3):479–490.
- Macdonald, J.S., Patterson, D.A., Hague, M.J., and Guthrie, I.C. 2010. [Modeling the Influence of Environmental Factors on Spawning Migration Mortality for Sockeye Salmon Fisheries Management in the Fraser River, British Columbia](#). *Transactions of the American Fisheries Society* 139(3):768–782.



- Malange, K., Shortreed, K.S. and Morton, K.F. 2005. Results from a three-year (1996 to 1998) limnological study of Takla, Trembleur, and Stuart lakes. *Can. Data Rep. Fish. Aquat. Sci.* 1174: ix + 88 p
- Martins, E.G., Hinch, S.G., Patterson, D.A., Hague, M.J., Cooke, S.J., Miller, K.M., Lapointe, M.F., English, K.K., and Farrell, A.P. 2011. Effects of river temperature and climate warming on stock-specific survival of adult migrating Fraser River sockeye salmon (*Oncorhynchus nerka*). *Global Change Biology* 17(1):99–114.
- Mueller, C.W. and Enzenhofer, H.J. 1991. Trawl Catch Statistics in Sockeye Rearing Lakes of the Fraser River Drainage Basin: 1975-1985. *Canadian Data Report of Fisheries and Aquatic Sciences* 825. DFO.
- Mueller, C.W., Enzenhofer, H.J., and Hume, J.M.B. 1992. Trawl catch statistics from seven sockeye rearing lakes of the Fraser River drainage basin: 1991. *Canadian Data Report of Fisheries and Aquatic Sciences* 881. DFO.
- Nechako River Project. 1987. Study of Juvenile Chinook Salmon in the Nechako River, British Columbia 1985 and 1986. *Canadian Manuscript Report of Fisheries and Aquatic Sciences* No. 1954. DFO.
- Pon, L. and Lidin, G. 2021. Assessment of Juvenile Sockeye Salmon rearing in Fraser Lake, British Columbia in the fall of 2020 using paired hydroacoustic and trawl survey methods. DFO.
- Pon, L. and Lidin, G. 2022. Assessment of Juvenile Sockeye Salmon rearing in Bowron Lake, British Columbia in the fall of 2021 using paired hydroacoustic and trawl survey methods. *Fisheries and Oceans Canada* :1–15.
- Reed, T.E., Schindler, D.E., Hague, M.J., Patterson, D.A., Meir, E., Waples, R.S. and Hinch, S.G., 2011. Time to evolve? Potential evolutionary responses of Fraser River sockeye salmon to climate change and effects on persistence. *PLoS One*, 6(6), p.e20380.
- Schubert, N.D. 2007. Estimating the 1995 Fraser River Sockeye Salmon (*Oncorhynchus nerka*) Escapement. *Canadian Technical Report of Fisheries and Aquatic Sciences* 2737. DFO.
- Scrivener, J.C., Brown, T.G., and Andersen, B.C. 1994. [Juvenile Chinook Salmon \(\*Oncorhynchus tshawytscha\*\) Utilization of Hawks Creek, a Small and Nonnatal Tributary of the Upper Fraser River](#). *Canadian Journal of Fisheries and Aquatic Sciences* 51(5):1139–1146.
- Slivinski, D. and Liebe, R. 2009. Stuart, Takla, and Trembleur Lakes Fisheries Data Consolidation. Triton Project 4122. Ministry of Environment, Environmental Stewardship.
- Triton Environmental Consultants Ltd. 2005. Kokanee Spawning Habitat Assessment and Spawner Enumeration in Finger Creek, Finger-Tatuk Provincial Park. 3564/WP-P0747. British Columbia Ministry of Water, Land, and Air Protection.
- Triton Environmental Consultants Ltd. 2010a. Size, Distribution and Abundance of Juvenile Chinook Salmon of the Nechako River, 2010. Nechako Fisheries Conservation Program.
- Unknown. 1970. Takla Lake Female Spawners. Pacific Salmon Commission.
- Van Schubert, R. 1993. A Stock Assessment of Finger Lake. Ministry of Environment, Lands and Parks.
- Vernon, E.H. and McMynn, R.G. 1967. Stellako River Log Driving and Fisheries (Confidential). Department of Recreation and Conservation.



- Wood, C.C. and Foote, C.J. 1996. Evidence for Sympatric Genetic Divergence of Anadromous and Nonanadromous Morphs of Sockeye Salmon (*Oncorhynchus nerka*). *The Science for the Study of Evolution* 50(3):1265–1279.
- Wood, C.C., Foote, C.J., and Rutherford, D.T. 1999. [Ecological interactions between juveniles of reproductively isolated anadromous and non-anadromous morphs of sockeye salmon, \*Oncorhynchus nerka\*, sharing the same nursery lake.](#) *Environmental Biology of Fishes* 54(2):161–173.

## LIMNOLOGY / LAKES

- BC Government. 1953. BC Lake Survey Data: Takla Lake.
- Cheong, A.L., Scrivener, J.C., MacDonald, J.S., Andersen, B.C., and Choromanski, E.M. 1995. A Discussion of Suspended Sediment in the Takla Lake Region: the Influence of Water Discharge and Spawning Salmon. Canadian Technical Report of Fisheries and Aquatic Sciences No. 2074. DFO.
- Gateuille, D., Owens, P.N., Petticrew, E.L., Booth, B.P., French, T.D., and Déry, S.J. 2019. [Determining contemporary and historical sediment sources in a large drainage basin impacted by cumulative effects: the regulated Nechako River, British Columbia, Canada.](#) *Journal of Soils and Sediments* 19(9):3357–3373.
- Goodlad, J.C., Gjernes, T.W., and Brannon, E.L. 1974. Factors Affecting Sockeye Salmon (*Oncorhynchus nerka*) Growth in Four Lakes of the Fraser River System. *Journal of the Fisheries Board of Canada* 31(5):871–892.
- Jesson, D.A. 1990. A Reconnaissance Survey of Finger Lake. B.C. Hydro / B.C. Ministry of Environment.
- Krümmel, E.M., Scheer, M., Gregory-Eaves, I., Macdonald, R.W., Kimpe, L.E., Smol, J.P., Finney, B., and Blais, J.M. 2009. [Historical analysis of salmon-derived polychlorinated biphenyls \(PCBs\) in lake sediments.](#) *Science of The Total Environment* 407(6):1977–1989.
- Levy, D.A. and Ashley, K.I. 2009. Feasibility of Fertilizing Takla Lake for Early Stuart Sockeye Recovery. Upper Fraser Fisheries Conservation Alliance.
- McConnachie, J.L. and Petticrew, E.L. 2006. [Tracing organic matter sources in riverine suspended sediment: Implications for fine sediment transfers.](#) *Geomorphology* 79(1–2):13–26.
- Pacific Salmon Commission. 1959a. Takla Lake 1959-1971 Secchi Disc Measurements (feet). Pacific Salmon Commission.
- Pacific Salmon Commission. 1959b. Trembleur Lake 1959-1971 Secchi Disc Measurements (feet). Pacific Salmon Commission.
- Pacific Salmon Commission. 1965a. Bathythermograph and Secchi Disc Records for Francois Lake for the period 1965 to 1972. Pacific Salmon Commission.
- Pacific Salmon Commission. 1965b. Bathythermograph and Secchi Disc Records for Fraser Lake 1965 to 1971 and 1950 Fish Sampling Records. Pacific Salmon Commission.
- Pacific Salmon Commission. 1965c. Bathythermograph Records of Water Temperature to 100 FT: Francois Lake. 3598. Pacific Salmon Commission.





- Shortreed, K.S., Hume, J.M.B., and Stockner, J.G. 2000. Using Photosynthetic Rates to Estimate the Juvenile Sockeye Salmon Rearing Capacity of British Columbia Lakes. *Sustainable Fisheries Management* :505–521.
- Shortreed, K.S., Morton, K.F., Malange, K., and Hume, J.M.B. 2001. Factors Limiting Juvenile Sockeye Production and Enhancement Potential for Selected BC Nursery Lakes. *Canadian Science Advisory Secretariat*.
- Stockner, J.G. and Shortreed, K.R.S. 1978. Limnological Survey of 35 Sockeye Salmon (*Oncorhynchus nerka*) Nursery Lakes in British Columbia and the Yukon Territory. *Fisheries & Marine Service Technical Report No. 827*. DFO.
- Stockner, J.G. and Shortreed, K.S. 1983. A Comparative Limnological Survey of 19 Sockeye Salmon (*Oncorhynchus nerka*) Nursery Lakes in the Fraser River System, British Columbia. *Canadian Technical Report of Fisheries and Aquatic Sciences No. 1190*. DFO.
- Triton Environmental Consultants Ltd. 1996a. Juvenile Outmigration 1990. Data Report No. M90-3. Nechako Fisheries Conservation Program.
- Triton Environmental Consultants Ltd. 1996b. Juvenile Outmigration 1991. Data Report No. M91-3. Nechako Fisheries Conservation Program.
- Unknown. 1953. Trembleur Lake Survey Data 1953. Pacific Salmon Commission.

## PALEOLIMNOLOGY

- Cumming, B. and Laird, K. 2001. c. BC Ministry of Water, Land and Air Protection.
- Cumming, B. and Laird, K. 2005a. Assessment of Changes in Total Phosphorus in Burns Lake East & West Basins, B.C: A Paleolimnological Assessment. BC Ministry of Water, Land and Air Protection
- Cumming, B. and Laird, K. 2005b. Assessment of Changes in Total Phosphorus in Decker Lake West, B.C: A Paleolimnological Assessment. BC Ministry of Water, Land and Air Protection.
- Hobbs, W.O. and Wolfe, A.P. 2007. [Caveats on the use of paleolimnology to infer Pacific salmon returns](#). *Limnology and Oceanography* 52(5):2053–2061.
- Hobbs, W.O. and Wolfe, A.P. 2008. [Recent paleolimnology of three lakes in the Fraser River Basin \(BC, Canada\): no response to the collapse of sockeye salmon stocks following the Hells Gate landslides](#). *Journal of Paleolimnology* 40(1):295–308.
- Reavie, E.D. and Smol, J.P. 1998. Paleolimnological assessment of Tchesinkut, Takysie and Francois lakes, British Columbia. BC Environment.
- Reavie, E.D., Smol, J.P., Sharpe, I.D., Westenhofer, L.A., and Roberts, M. 2000. Paleolimnological analyses of cultural eutrophication patterns in British Columbia lakes. 78.



## STREAM/RIVERS

- Andersen, B.C. Temperatures in Five Tributary Streams and the Middle River, and Data from one Meteorological Station; in the Stuart-Takla Watershed, 1996-1999. Canadian Data Report of Fisheries and Aquatic Sciences 1061.
- Ball, K., Harding, E.A., and Scott, G. 1974. An Inventory of Streams on the West Side of Stuart Lake. Fish and Wildlife Branch - Victoria B.C.
- Owens, P.N., Batalla, R.J., Collins, A.J., Gomez, B., Hicks, D.M., Horowitz, A.J., Kondolf, G.M., Marden, M., Page, M.J., Peacock, D.H., Petticrew, E.L., Salomons, W., and Trustrum, N.A. 2005. [Fine-grained sediment in river systems: environmental significance and management issues](#). River Research and Applications 21(7):693–717.
- Owens, P.N., Gateuille, D.J., Petticrew, E.L., Booth, B.P., and French, T.D. 2019. [Sediment-associated organopollutants, metals and nutrients in the Nechako River, British Columbia: a current study with a synthesis of historical data](#). Canadian Water Resources Journal 44(1):42–64.
- Pinsent, M.E. 1973. An Initial Inventory of the Streams in the Francois - Fraser Lakes System. 38–02.
- Potyrala, M. and Nutton, B. 2011. Nechako River Chinook Carcass Recovery 2009. Data Report No. M09-2. Nechako Fisheries Conservation Program.
- Swain, L.G. and Girard, R. 1987. Takla-Nechako Area Nechako River Water Quality Assessment and Objectives. Ministry of Environment and Parks - Province of British Columbia.
- Triton Environmental Consultants Ltd. 1995. The 1988 Summer Water Temperature and Flow Management Project. Technical Report No. RM88-5. Nechako Fisheries Conservation Program.
- Triton Environmental Consultants Ltd. 2001. The 1998 Summer Water Temperature and Flow Management Project. Technical Report No. RM98-1. Nechako Fisheries Conservation Program.
- Triton Environmental Consultants Ltd. 2008. The 2008 Summer Water Temperature and Flow Management Project. Technical Report No. RM08-1. Nechako Fisheries Conservation Program.
- Triton Environmental Consultants Ltd. 2010b. The 2010 Summer Water Temperature and Flow Management Project. Nechako Fisheries Conservation Program.
- Tsuruta, K., Hassan, M.A., Donner, S.D., and Alila, Y. 2018. [Development and Application of a Large-Scale, Physically Based, Distributed Suspended Sediment Transport Model on the Fraser River Basin, British Columbia, Canada](#). Journal of Geophysical Research: Earth Surface 123(10):2481–2508.
- Tunncliffe, J., Gottesfeld, A.S., and Mohamed, M. 2000. [High resolution measurement of bedload transport](#). Hydrological Processes 14(15):2631–2643.



## ECOSYSTEMS

- Agra Earth & Environmental Limited. 1998. Reconnaissance (1:20000) Fish and Fish Habitat Inventory Watershed Code 182-819600-63300 Takla Lake Watershed. Volume 1 of 10. Ministry of Environment, Lands and Parks Omineca-Peace Region.
- Arc Environmental Ltd. and Triton Environmental Consultants Ltd. 2000. Site Assessments for Potential WRP Restoration Sites on Two Tributaries to Finger Lake. 3167/WP#0214. Saik'uz First Nation.
- Ballantyne, J.S., Mercure, F., Gerrits, M.F., Martens, D.W., Hinch, S.G., and Diewert, R.E. 1996. Plasma non-esterified fatty acid profiles in male and female sockeye salmon, *Oncorhynchus nerka*, during the spawning migration. 53.
- BC Ministry of Water, Land and Air Protection. 2002. BC Volunteer Lake Monitoring Program: Fraser Lake 2000-2002. BC Ministry of Water, Land and Air Protection
- Beaudry, P.G. 2010. Ft St James District: Review of Fisheries Sensitive Watershed Candidates for the Stuart-Takla Watershed. Contract #: CROP10-080. Ministry of Environment.
- Beniston, R.J. and Lister, D.B. 2003. Inferred Changes in Chinook Cover Habitat Suitability in Nechako River (Reaches 5-7) Due to Flow Reduction. Technical Report No. RM90-7. Nechako Fisheries Conservation Program.
- Bodtker, K.M., Peterman, R.M., and Bradford, M.J. 2007. [Accounting for Uncertainty in Estimates of Escapement Goals for Fraser River Sockeye Salmon Based on Productivity of Nursery Lakes in British Columbia, Canada](#). North American Journal of Fisheries Management 27(1):286–302.
- Booth, B.P. 2001. Fraser Lake Important Bird Area Conservation Plan.
- Bradford, M.J. and Braun, D.C. 2021. [Regional and local effects drive changes in spawning stream occupancy in a sockeye salmon metapopulation](#). Canadian Journal of Fisheries and Aquatic Sciences 78(8):1084–1095.
- Brett, J.R., Clarke, W.C., and Shelbourn, J.E. 1982. Experiments on Thermal Requirements for Growth and Food Conversion Efficiency of Juvenile Chinook Salmon (*Oncorhynchus tshawytscha*). Canadian Technical Report of Fisheries and Aquatic Sciences No. 1127. DFO.
- Brewer, R., Sekela, M., Sylvestre, S., Tuominen, T., and Moyle, G. 1998. Contaminants in Bed Sediments from 15 Reaches of the Fraser River Basin. DOE FRAP 1997-37. Environment Canada.
- Corbould, F.B. 2001. Winter Survey of Trumpeter Swans in The Central Interior, British Columbia. PFWWCP Report No. 266. Peace/Williston Fish and Wildlife Compensation Program.
- Craig, J.K., Foote, C.J., and Wood, C.C. 1996. Evidence for temperature-dependent sex determination in sockeye salmon. 53.
- Davis, J.C., and Davis, G.A. 2015. Juvenile Salmon Winter Habitat Characteristics in Large Glacial Rivers: 2014–2015. NOAA Fisheries.



- Déry, S.J., Hernández-Henríquez, M.A., Owens, P.N., Parkes, M.W., and Petticrew, E.L. 2012. [A century of hydrological variability and trends in the Fraser River Basin](#). Environmental Research Letters 7(2):024019.
- DFO. 1971. [Slim-Tumuch Fish-Forestry Study 1971-1975](#). 1–11 pp.
- Downie, A.J. and Wilson, I. 2002. Burns and Decker Lakes Draft Management Plan. Ministry of Water, Land and Air Protection - Skeena Region.
- Elliott, J.E., Machmer, M.M., Wilson, L.K., and Henny, C.J. 2000. [Contaminants in Ospreys from the Pacific Northwest: II. Organochlorine Pesticides, Polychlorinated Biphenyls, and Mercury, 1991-1997](#). Archives of Environmental Contamination and Toxicology 38(1):93–106.
- Flitcroft, R.L., Burnett, K.M., Reeves, G.H., and Ganio, L.M. 2012. [Do network relationships matter? Comparing network and instream habitat variables to explain densities of juvenile coho salmon \(\*Oncorhynchus kisutch\*\) in mid-coastal Oregon, USA: DO NETWORK RELATIONSHIPS MATTER? NETWORK AND INSTREAM VARIABLES](#). Aquatic Conservation: Marine and Freshwater Ecosystems 22(3):288–302.
- Fresco, T. and Litke, S. 2016. Towards a Healthy Nechako: Nechako Watershed Strategy - Version 1. Fraser Basin Council.
- Gunville, G.F. 1976a. An Inventory of Streams Tributary to the North-West Arm of Takla Lake (Parts 1-4). FISS 291-31. Fish and Wildlife Branch - Victoria B.C.
- Gunville, G.F. 1976b. An Inventory of Streams Tributary to Trembleur Lake. Fish and Wildlife Branch - Victoria B.C.
- Gunville, G.F. 1976c. An inventory of the Driftwood River and its tributaries. Fish and Wildlife Branch - Victoria B.C.
- Hickey, D.G., Mac Donald, L.B., and Leone, F.N. 1997. Salmon Watershed Planning Profiles for the Fraser Basin within the Stuart/Takla Habitat Management Area. EDI Environmental Dynamics Inc.
- Holt, C.A., Cass, A., Holtby, B., and Riddell, B. 2009. Indicators of Status and Benchmarks for Conservation Units in Canada's Wild Salmon Policy. Fisheries and Oceans Canada: viii + 74 p.
- Hutchings, J.A. 1986. [Lakeward Migrations by Juvenile Atlantic Salmon, \*Salmo salar\*](#). Canadian Journal of Fisheries and Aquatic Sciences 43(4):732–741.
- Isaak, D.J., Luce, C.H., Rieman, B.E., Nagel, D.E., Peterson, E.E., Horan, D.L., Parkes, S., and Chandler, G.L. 2010. [Effects of climate change and wildfire on stream temperatures and salmonid thermal habitat in a mountain river network](#). Ecological Applications 20(5):1350–1371.
- Jacklin, J. 2004. Assessment of the Fraser Lake Community Drinking Water Supply: Source Water Characteristics. BC Ministry of Environment.
- Landsman, S.J., Nguyen, V.M., Gutowsky, L.F.G., Gobin, J., Cook, K.V., Binder, T.R., Lower, N., McLaughlin, R.L., and Cooke, S.J. 2011. [Fish movement and migration studies in the Laurentian Great Lakes: Research trends and knowledge gaps](#). Journal of Great Lakes Research 37(2):365–379.
- Langer, O.E., Harding, T., Miles, M., and Walmsley, M. 1992. Salmonid Habitat Management Plan for the Stuart/Takla Habitat Management Area. DFO.



- Levings, C.D. and Lauzier, R.B., 1991. Extensive use of the Fraser River basin as winter habitat by juvenile chinook salmon (*Oncorhynchus tshawytscha*). *Canadian Journal of Zoology*, 69(7), pp.1759-1767.
- Levy, D. 2006. BC Sockeye Salmon Population Declines: Probable Causes and Recommended Response Strategies.
- Macdonald, J. Stevenson, J. Charles. Scrivener and Glenn Smith. 1992. The Stuart-Takla Fisheries/Forestry Interaction Project: Study Description and Design. *Can. Tech. Rep. Fish. Aquat. Sci.* 1899. 39p.
- Macdonald, J.S., MacIsaac, E.A., and Herunter, H.E. 2003. [The effect of variable-retention riparian buffer zones on water temperatures in small headwater streams in sub-boreal forest ecosystems of British Columbia](#). *Canadian Journal of Forest Research* 33(8):1371–1382.
- Marvin, C.H., Berthiaume, A., Burniston, D.A., Chibwe, L., Dove, A., Evans, M., Hewitt, L.M., Hodson, P.V., Muir, D.C.G., Parrott, J., Thomas, P.J., and Tomy, G.T. 2021. [Polycyclic aromatic compounds in the Canadian Environment: Aquatic and terrestrial environments](#). *Environmental Pollution* 285:117442.
- McClure, M.M., Carlson, S.M., Beechie, T.J., Pess, G.R., Jorgensen, J.C., Sogard, S.M., Sultan, S.E., Holzer, D.M., Travis, J., Sanderson, B.L., Power, M.E., and Carmichael, R.W. 2008. [Evolutionary consequences of habitat loss for Pacific anadromous salmonids: Salmonid habitat loss and evolution](#). *Evolutionary Applications* 1(2):300–318.
- McKinnell, S. 2008. [Fraser River sockeye salmon productivity and climate: A re-analysis that avoids an undesirable property of Ricker's curve](#). *Progress in Oceanography* 77(2–3):146–154.
- Miller, D.J., Burnett, K., and Benda, L. 2008. Factors Controlling Availability of Spawning Habitat for Salmonids at the Basin Scale. *American Fisheries Society* 65:103–120.
- Nechako Environmental Enhancement Fund. 1999. Nechako River Summary of Existing Data.
- Padilla, A., Rasouli, K. and Déry, S.J., 2015. Impacts of variability and trends in runoff and water temperature on salmon migration in the Fraser River Basin, Canada. *Hydrological Sciences Journal*, 60(3), pp.523-533.
- Parkinson, E.A., Lea, E.V., Nelitz, M.A., Knudson, J.M., and Moore, R.D. 2016. [Identifying Temperature Thresholds Associated with Fish Community Changes in British Columbia, Canada, to Support Identification of Temperature Sensitive Streams](#). *River Research and Applications* 32(3):330–347.
- Picketts, I., Déry, S., and Parkes, M. 2014. Changing Landscapes, Changing Lives: Exploring climate change impacts in the Nechako Watershed, and implications to natural resource development.
- Preikshot, D., Beamish, R.J., Sweeting, R.M., Neville, C.M., and Beacham, T.D. 2012. [The Residence Time of Juvenile Fraser River Sockeye Salmon in the Strait of Georgia](#). *Marine and Coastal Fisheries* 4(1):438–449.
- Prince, P. 2014. [Fish Weirs and an Interior Salmon Fishery on the Nautley River, Central British Columbia](#). *North American Archaeologist* 35(2):119–148.
- Quinn, T.P., Stewart, I.J., and Boatright, C.P. 2006. [Experimental evidence of homing to site of incubation by mature sockeye salmon, \*Oncorhynchus nerka\*](#). *Animal Behaviour* 72(4):941–949.
- Raleigh, R.F. 1967. [Genetic Control in the Lakeward Migrations of Sockeye Salmon \(\*Oncorhynchus nerka\*\) Fry](#). *Journal of the Fisheries Research Board of Canada* 24(12):2613–2622.



- Rand, P.S., Hinch, S.G., Morrison, J., Foreman, M.G.G., MacNutt, M.J., Macdonald, J.S., Healey, M.C., Farrell, A.P., and Higgs, D.A. 2006. [Effects of River Discharge, Temperature, and Future Climates on Energetics and Mortality of Adult Migrating Fraser River Sockeye Salmon](#). Transactions of the American Fisheries Society 135(3):655–667.
- RDFFG. 2010. Chilako River-Nechako Official Community Plan. Bylaw No. 2593. Regional District of Fraser-Fort George.
- Regnier, R. and Shaw, P. 1998. Water Quality Trends in the Fraser River Basin, 1985-1995. DOE FRAP 1998-39.
- Reist, J.D., Wrona, F.J., Prowse, T.D., Power, M., Dempson, J.B., Beamish, R.J., King, J.R., Carmichael, T.J., and Sawatzky, C.D. 2006. [General Effects of Climate Change on Arctic Fishes and Fish Populations](#). AMBIO: A Journal of the Human Environment 35(7):370–380.
- Rosenfeld, J., Hogan, D., Palm, D., Lundquist, H., Nilsson, C., and Beechie, T.J. 2011. [Contrasting Landscape Influences on Sediment Supply and Stream Restoration Priorities in Northern Fennoscandia \(Sweden and Finland\) and Coastal British Columbia](#). Environmental Management 47(1):28–39.
- Sanderson, D., Picketts, I.M., Déry, S.J., Fell, B., Baker, S., Lee-Johnson, E., and Auger, M. 2015. [Climate change and water at Stelat'en First Nation, British Columbia, Canada: Insights from western science and traditional knowledge: Climate change and water at Stelat'en First Nation](#). The Canadian Geographer 59(2):136–150.
- Schiarizza, P. and MacIntyre, D. 1998. Geology of the Babine Lake – Takla Lake area, central British Columbia (93K/11, 12, 13, 14; 93N/3, 4, 5, 6). British Columbia Geological Survey Branch 1999(1).
- Sebastian, D. 1974. An inventory of streams tributary to southern Takla Lake and Middle River (Parts 1-3). Fish and Wildlife Branch - Victoria B.C.
- Shrimpton, J.M. and Heath, D.D. 2003. [Census vs. effective population size in chinook salmon: large- and small-scale environmental perturbation effects](#). Molecular Ecology 12(10):2571–2583.
- Small, M.P., McLellan, J.G., Loxterman, J., Von Bargen, J., Frye, A., and Bowman, C. 2007. [Fine-Scale Population Structure of Rainbow Trout in the Spokane River Drainage in Relation to Hatchery Stocking and Barriers](#). Transactions of the American Fisheries Society 136(2):301–317.
- Stewart, I.J., Carlson, S.M., Boatright, C.P., Buck, G.B., and Quinn, T.P. 2004. [Site fidelity of spawning sockeye salmon \(\*Oncorhynchus nerka\* W.\) in the presence and absence of olfactory cues](#). Ecology of Freshwater Fish 13(2):104–110.
- St-Hilaire, S., Boichuk, M., Barnes, D., Higgins, M., Devlin, R., Withler, R., Khattra, J., Jones, S., and Kieser, D. 2002. [Epizootiology of \*Parricapsula minibicornis\* in Fraser River sockeye salmon, \*Oncorhynchus nerka\* \(Walbaum\)](#). Journal of Fish Diseases 25(2):107–120.
- Triton Environmental Consultants Ltd. 2003. Finger-Tatuk Provincial Park Monitoring Plan Framework and Protocols. WP#P0822. BC Ministry of Water, Land and Air Protection: Environmental Stewardship Division - Omineca Region.
- Troffe, P.M. and Melville, C. 2005. Juvenile Migration Behaviour Study: Fry emigration component: Coquitlam Salmon Restoration Project. Instream Fisheries Research Inc.



- Waples, R.S., Zabel, R.W., Scheuerell, M.D., and Sanderson, B.L. 2008. [Evolutionary responses by native species to major anthropogenic changes to their ecosystems: Pacific salmon in the Columbia River hydropower system](#). *Molecular Ecology* 17(1):84–96.
- Weiler, M., Scheffler, C., Tautz, A., and Rosin, K. 2009. Development of a Hydrologic Process Model for Mountain Pine Beetle affected Areas in British Columbia. Pacific Salmon Foundation.
- Branch, E.C., Yunker, M.B. and Macdonald, R.W., 1997. Preliminary assessment of alkane and PAH data for sediment cores from six lakes in the Fraser River basin.
- Yunker, M.B., Macdonald, R.W., Vingarzan, R., Mitchell, R.H., Goyette, D., and Sylvestre, S. 2002. [PAHs in the Fraser River basin: a critical appraisal of PAH ratios as indicators of PAH source and composition](#). *Organic Geochemistry* 33(4):489–515.